

	Application No.	Applicant(s)
Notice of Allowability	10/768,453	MELIS, JANOS
	Examiner	Art Unit
	Tuyet Vo	2821
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the of (OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	correspondence address pplication. If not included on will be mailed in due course. THIS
1. This communication is responsive to 1/30/2004.		
2. The allowed claim(s) is/are <u>1-8</u> .		
3. \boxtimes The drawings filed on <u>30 January 2004</u> are accepted by th	e Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		y complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of	son's Patent Drawing Review(PTC s Amendment / Comment or in the .84(c)) should be written on the draw he header according to 37 CFR 1.121	Office action of ings in the front (not the back) of (d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 1/30/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summar Paper No./Mail Da 08), 7. ☒ Examiner's Amend	Patent Application (PTO-152) y (PTO-413), ate Iment/Comment sent of Reasons for Allowance
TUYET VO PRIMARY EXAMENI		

DETAIL ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as following:

In the claim, claim 1, line 1 of claims 2, 3 and 6-8, delete "A" and insert –The-- and claim 5, line 1, delete "An" and insert --The--.

The above noted amendment has been added in order to provide a clarification in claim language.

Reasons For Allowance

- 2. Claims 1-8 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art of record fails to disclose a half-bridge inverter for protecting as well as efficiently driving an asymmetrical load/lamp by establishing a number of supportive elements/circuits such as a power resistor, a half-bridge inverter, a control unit, an inductor, and a current transformer arranging in a manner as required in claim 1, in that, a first winding of the current transformer is connected in series with the asymmetrical load/lamp, and a second winding of the inductor is connected in series with a high intensity discharge lamp, accomplishing an asymmetrical load, and a first winding of inductor is connected to an igniter unit.
- 4. The remaining dependent claims are allowable for at least above reason.
- 5. The prior art made of record and not relied upon is considered pertinent to applicants' disclosure. Franck et al. (US Pat. 6,603,674) discloses electronic transformer with good immunity against high voltage pulses. Bobel (US Pat. 5,982,106) discloses self-protected series

Page 3

Art Unit: 2821

resonant electronic energy converter. None of cited/recorded prior arts stands alone or combination with others discloses all limitation required in claim invention.

Correspondence

Any comments considered necessarily by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuyet Vo whose telephone number is 571 272 1830. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571 272 1834. The fax phone number for the organization where this application or proceeding assigned is 703 872 9306 for regular communications and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.

Tuvet V

Primary Examiner

April 18, 2005